

THE DOCUMENT COMPANY

XEROX

Product Safety Data Sheet Phaser 6250

Page 1 of 3

PRODUCT DESCRIPTION

Phaser 6250 Color Laser Printer

MANUFACTURER INFORMATION

XEROX Corporation Office Group
P.O. Box 1000, Wilsonville, Oregon 97070-1000

PRODUCT DIMENSIONS

Depth	Width	Height
59.0 cm / 23.2 inches	43.9 cm / 17.3 inches	44.5 cm / 17.5 inches

WEIGHT

36 kg / 80 lbs

ELECTRICAL INFORMATION

	115 V	230 V
Voltage (Volts)	110-127 VAC	220-240 VAC
Frequency (Hertz)	50/60 Hertz	50/60 Hertz
Current (Amps)	8.0 Amps	4.0 Amps

PRODUCT SAFETY CERTIFICATION

	Standard	Certifying Body
CB Report & Certificate	- IEC 60950:1999 - IEC 60825-1:1993+A1+A2	TUV Rheinland
GS Certificate	- EN 60950:2000 - EN 60825-1:1994+A11+A2	TUV Rheinland
UL Report	UL 60950/ CSA C22.2 No. 60950, Third Edition (2000)	UL

ELECTROMAGNETIC COMPATIBILITY

Standard	Certifying Body
89/336/EEC	XEROX -- Office Group
73/23/EEC	
FCC Part 15 Class B	XEROX -- Office Group

THE DOCUMENT COMPANY

XEROX

Product Safety Data Sheet Phaser 6250

Page 2 of 3

POWER CONSUMPTION

115 V			
Off Mode (W)	Power Save (W)	Standby (W)	Run Mode (W)
0	28.5	85.5	475

230 V			
Off Mode (W)	Power Save (W)	Standby (W)	Run Mode (W)
0	26.8	79.3	399

HEAT OUTPUT

115 V			
Off Mode (BTU/hr)	Power Save (BTU/hr)	Standby (BTU/hr)	Run Mode (BTU/hr)
0	97.1	292	1620

230 V			
Off Mode (BTU/hr)	Power Save (BTU/hr)	Standby (BTU/hr)	Run Mode (BTU/hr)
0	91.5	271	1360

NOTE: The electrical power information provided should not be used to define the electrical support required for this product. Consult your Xerox representative if you require detailed information.

LIGHT SOURCE

Laser -- Class 1 Laser Product (Accession# 0110065-05)

AUDIBLE NOISE

Operating Conditions	Sound Power (B(A))	
Standby	LWA=4.64 B	LWAd=4.94 B
Operating -- Continuous	LWA=6.59 B	LWAd=6.89 B

CHEMICAL EMISSIONS

Measured Product Concentration (mg/m ³)	
Ozone	0.011 mg/m ³
Styrene	0.009 mg/m ³
Particles (Dust) (<10µm)	0.014 mg/m ³

OZONE FILTER REPLACEMENT

Not applicable

THE DOCUMENT COMPANY

XEROX

**Product Safety Data Sheet
Phaser 6250**

Page 3 of 3

SUPPLIES

Material Safety Data Sheets
(115 V)

Located at:

<http://www.officeprinting.xerox.com/products/msds.html>